

## Features

- Internal control latches and address decoder
- Short set-up and hold times
- Wide operating voltage: 4.5V to 14.5V
- 14Vpp analog signal capability
- R<sub>ON</sub> 65Ω max. @ V<sub>DD</sub>=14V, 25°C
- ∆R<sub>ON</sub> ≤10Ω @ V<sub>DD</sub>=14V, 25°C
- Full CMOS switch for low distortion
- Minimum feedthrough and crosstalk
- Low power consumption ISO-CMOS technology

# Applications

- PBX systems
- Mobile radio
- Test equipment /instrumentation
- Analog/digital multiplexers
- Audio/Video switching

# ISSUE 5November 1988Ordering InformationMT8812AC40 Pin Ceramic DIPMT8812AE40 Pin Plastic DIPMT8812AP44 Pin PLCC0° to 70°C

## Description

The Mitel MT8812 is fabricated in MITEL's ISO-CMOS technology providing low power dissipation and high reliability. The device contains a 8 x12 array of crosspoint switches along with a 7 to 96 line decoder and latch circuits. Any one of the 96 switches can be addressed by selecting the appropriate seven input bits. The selected switch can be turned on or off by applying a logical one or zero to the DATA input.







# **Pin Description**

34       NC       No Connection.         35       Y0       Y0 Analog (Input/Output): this is connected to the Y0 column of the switch array.         36       NC       No Connection.         37       Y1       Y1 Analog (Input/Output): this is connected to the Y1 column of the switch array.         38       DATA       DATA (Input): a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.         39       Y2       Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.	Pin #*	Name	Description
3       RESET       Master RESET (Input): this is used to turn off all switches. Active High.         4,5       AX3,AX0       X3 and X0 Address Lines (Inputs).         6,7       NC       No Connection.         8-13       X6-X11       X6-X11 Analog (Inputs/Outputs): these are connected to the X6-X11 rows of the switch array.         14       NC       No Connection.         15       Y7       Y7 Analog (Input/Output): this is connected to the Y7 column of the switch array.         16       NC       No Connection.         17       Y6       Y6 Analog (Input/Output): this is connected to the Y6 column of the switch array.         18       STROBE       STROBE (Input): enables function selected by address and data. Address must be stable before STROBE goes high and DATA must be stable on the falling edge of the STROBE. Active High.         19       Y5       Y5 Analog (Input/Output): this is connected to the Y5 column of the switch array.         20       V <sub>SS</sub> Ground Reference.         21       Y4       Y4 Analog (Input/Output): this is connected to the Y4 column of the switch array.         26, 27       NC       No Connection.         27       NC       No Connection.         28 - 33       X5-X0       X5-X0 Analog (Inputs/Output): this is connected to the Y0 column of the switch array.         36       NC       No Con	1	Y3	Y3 Analog (Input/Output): this is connected to the Y3 column of the switch array.
<ul> <li>4,5 AX3,AX0 X3 and X0 Address Lines (Inputs).</li> <li>6,7 NC No Connection.</li> <li>8-13 X6-X11 X6-X11 Analog (Inputs/Outputs): these are connected to the X6-X11 rows of the switch array.</li> <li>14 NC No Connection.</li> <li>15 Y7 Y7 Analog (Input/Output): this is connected to the Y7 column of the switch array.</li> <li>16 NC No Connection.</li> <li>17 Y6 Y6 Analog (Input/Output): this is connected to the Y6 column of the switch array.</li> <li>18 STROBE STROBE (Input): enables function selected by address and data. Address must be stable before STROBE goes high and DATA must be stable on the falling edge of the STROBE. Active High.</li> <li>19 Y5 Analog (Input/Output): this is connected to the Y5 column of the switch array.</li> <li>20 V<sub>SS</sub> Ground Reference.</li> <li>21 Y4 Analog (Input/Output): this is connected to the Y4 column of the switch array.</li> <li>24, 25 AY0,AY1 Y0 and Y1 Address Lines (Inputs).</li> <li>24, 25 AY0,AY1 Y0 and Y1 Address Lines (Inputs).</li> <li>26, 27 NC No Connection.</li> <li>35 Y0 Y0 Analog (Input/Output): this is connected to the Y0 column of the switch array.</li> <li>36 NC No Connection.</li> <li>37 Y1 Analog (Input/Output): this is connected to the Y0 column of the switch array.</li> <li>36 NC A connection.</li> <li>37 Y1 Analog (Input/Output): this is connected to the Y0 column of the switch array.</li> <li>38 DATA (Input): a logic high input will turn on the selected switch and a logic low will turn of the selected switch. Active High.</li> <li>39 Y2 Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.</li> </ul>	2	AY2	Y2 Address Line (Input).
6,7       NC       No Connection.         8-13       X6-X11       X6-X11 Analog (Inputs/Outputs): these are connected to the X6-X11 rows of the switch array.         14       NC       No Connection.         15       Y7       Y7 Analog (Input/Output): this is connected to the Y7 column of the switch array.         16       NC       No Connection.         17       Y6 Analog (Input/Output): this is connected to the Y6 column of the switch array.         18       STROBE (Input): enables function selected by address and data. Address must be stable before STROBE goes high and DATA must be stable on the falling edge of the STROBE. Active High.         19       Y5       Y5 Analog (Input/Output): this is connected to the Y5 column of the switch array.         20       V <sub>SS</sub> Ground Reference.         21       Y4       Y4 Analog (Input/Output): this is connected to the Y4 column of the switch array.         20       V <sub>SS</sub> Ground Reference.         21       Y4       Y4 Analog (Input/Output): this is connected to the Y4 column of the switch array.         26, 27       NC       No Connection.         27       S5-X0       Analog (Input/Output): this is connected to the Y0 column of the switch array.         36       NC       No Connection.         35       Y0       Y0 Analog (Input/Output): this is connected to the Y1 column of the swi	3	RESET	Master RESET (Input): this is used to turn off all switches. Active High.
<ul> <li>8-13 X6-X11 X6-X11 Analog (Inputs/Outputs): these are connected to the X6-X11 rows of the switch array.</li> <li>14 NC No Connection.</li> <li>15 Y7 Y7 Analog (Input/Output): this is connected to the Y7 column of the switch array.</li> <li>16 NC No Connection.</li> <li>17 Y6 Y6 Analog (Input/Output): this is connected to the Y6 column of the switch array.</li> <li>18 STROBE STROBE (Input): enables function selected by address and data. Address must be stable before STROBE goes high and DATA must be stable on the falling edge of the STROBE. Active High.</li> <li>19 Y5 Y5 Analog (Input/Output): this is connected to the Y5 column of the switch array.</li> <li>20 V<sub>SS</sub> Ground Reference.</li> <li>21 Y4 Y4 Analog (Input/Output): this is connected to the Y4 column of the switch array.</li> <li>22, 23 AX1,AX2 X1 and X2 Address Lines (Inputs).</li> <li>24, 25 AY0,AY1 Y0 and Y1 Address Lines (Inputs).</li> <li>26, 27 NC No Connection.</li> <li>28 - 33 X5-X0 X5-X0 Analog (Input/Output): this is connected to the Y0 column of the switch array.</li> <li>35 Y0 Y0 Analog (Input/Output): this is connected to the Y1 column of the switch array.</li> <li>36 NC No Connection.</li> <li>37 Y1 Y1 Analog (Input/Output): this is connected to the Y1 column of the switch array.</li> <li>38 DATA (Input): a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.</li> <li>39 Y2 Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.</li> </ul>	4,5	AX3,AX0	X3 and X0 Address Lines (Inputs).
array.         14       NC       No Connection.         15       Y7       Y7 Analog (Input/Output): this is connected to the Y7 column of the switch array.         16       NC       No Connection.         17       Y6       Y6 Analog (Input/Output): this is connected to the Y6 column of the switch array.         18       STROBE       STROBE (Input): enables function selected by address and data. Address must be stable before STROBE goes high and DATA must be stable on the falling edge of the STROBE. Active High.         19       Y5       Y5 Analog (Input/Output): this is connected to the Y5 column of the switch array.         20       V <sub>SS</sub> Ground Reference.         21       Y4       Y4 Analog (Input/Output): this is connected to the Y4 column of the switch array.         22, 23       AX1,AX2       X1 and X2 Address Lines (Inputs).         24, 25       AY0,AY1       Y0 and Y1 Address Lines (Inputs).         26, 27       NC       No Connection.         28 - 33       X5-X0       X5-X0 Analog (Input/Output): this is connected to the Y0 column of the switch array.         34       NC       No Connection.         35       Y0       Y0 Analog (Input/Output): this is connected to the Y1 column of the switch array.         36       NC       No Connection.         37       Y1       Analog (Input	6,7	NC	No Connection.
15Y7Y7 Analog (Input/Output): this is connected to the Y7 column of the switch array.16NCNo Connection.17Y6Y6 Analog (Input/Output): this is connected to the Y6 column of the switch array.18STROBESTROBE (Input): enables function selected by address and data. Address must be stable before STROBE goes high and DATA must be stable on the falling edge of the STROBE. Active High.19Y5Y5 Analog (Input/Output): this is connected to the Y5 column of the switch array.20V <sub>SS</sub> Ground Reference.21Y4Y4 Analog (Input/Output): this is connected to the Y4 column of the switch array.22, 23AX1,AX2X1 and X2 Address Lines (Inputs).24, 25AY0,AY1Y0 and Y1 Address Lines (Inputs).26, 27NCNo Connection.28 - 33X5-X0X5-X0 Analog (Input/Output): this is connected to the Y0 column of the switch array.34NCNo Connection.35Y0Y0 Analog (Input/Output): this is connected to the Y1 column of the switch array.36NCNo Connection.37Y1Y1 Analog (Input/Output): this is connected to the Y1 column of the switch array.38DATADATA (Input): a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.39Y2Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.	8-13	X6-X11	
16NCNo Connection.17Y6Y6 Analog (Input/Output): this is connected to the Y6 column of the switch array.18STROBESTROBE (Input): enables function selected by address and data. Address must be stable before STROBE goes high and DATA must be stable on the falling edge of the STROBE. Active High.19Y5Y5 Analog (Input/Output): this is connected to the Y5 column of the switch array.20V <sub>SS</sub> Ground Reference.21Y4Y4 Analog (Input/Output): this is connected to the Y4 column of the switch array.22, 23AX1,AX2X1 and X2 Address Lines (Inputs).24, 25AY0,AY1Y0 and Y1 Address Lines (Inputs).26, 27NCNo Connection.28 - 33X5-X0X5-X0 Analog (Input/Output): this is connected to the X5-X0 rows of the switch array.34NCNo Connection.35Y0Y0 Analog (Input/Output): this is connected to the Y1 column of the switch array.36NCNo Connection.37Y1Y1 Analog (Input/Output): this is connected to the Y1 column of the switch array.38DATADATA (Input): a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.39Y2Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.	14	NC	No Connection.
17Y6Y6 Analog (Input/Output): this is connected to the Y6 column of the switch array.18STROBESTROBE (Input): enables function selected by address and data. Address must be stable before STROBE goes high and DATA must be stable on the falling edge of the STROBE. Active High.19Y5Y5 Analog (Input/Output): this is connected to the Y5 column of the switch array.20V <sub>SS</sub> Ground Reference.21Y4Y4 Analog (Input/Output): this is connected to the Y4 column of the switch array.22, 23AX1,AX2X1 and X2 Address Lines (Inputs).24, 25AY0,AY1Y0 and Y1 Address Lines (Inputs).26, 27NCNo Connection.28 - 33X5-X0X5-X0 Analog (Input/Output): this is connected to the Y0 column of the switch array.34NCNo Connection.35Y0Y0 Analog (Input/Output): this is connected to the Y1 column of the switch array.36NCNo Connection.37Y1Y1 Analog (Input/Output): this is connected to the Y1 column of the switch array.38DATADATA (Input): a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.39Y2Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.	15	Y7	Y7 Analog (Input/Output): this is connected to the Y7 column of the switch array.
18       STROBE       STROBE (Input): enables function selected by address and data. Address must be stable before STROBE goes high and DATA must be stable on the falling edge of the STROBE. Active High.         19       Y5       Y5 Analog (Input/Output): this is connected to the Y5 column of the switch array.         20       V <sub>SS</sub> Ground Reference.         21       Y4       Y4 Analog (Input/Output): this is connected to the Y4 column of the switch array.         22, 23       AX1,AX2       X1 and X2 Address Lines (Inputs).         24, 25       AY0,AY1       Y0 and Y1 Address Lines (Inputs).         26, 27       NC       No Connection.         28 - 33       X5-X0       X5-X0 Analog (Input/Output): this is connected to the Y0 column of the switch array.         34       NC       No Connection.         35       Y0       Y0 Analog (Input/Output): this is connected to the Y1 column of the switch array.         36       NC       No Connection.         37       Y1       Y1 Analog (Input/Output): this is connected to the Y1 column of the switch array.         38       DATA       DATA (Input): a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.         39       Y2       Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.	16	NC	No Connection.
before STROBE goes high and DATA must be stable on the falling edge of the STROBE. Active High.19Y5Y5 Analog (Input/Output): this is connected to the Y5 column of the switch array.20V <sub>SS</sub> Ground Reference.21Y4Y4 Analog (Input/Output): this is connected to the Y4 column of the switch array.22, 23AX1,AX2X1 and X2 Address Lines (Inputs).24, 25AY0,AY1Y0 and Y1 Address Lines (Inputs).26, 27NCNo Connection.28 - 33X5-X0X5-X0 Analog (Input/Output): this is connected to the X5-X0 rows of the switch array.34NCNo Connection.35Y0Y0 Analog (Input/Output): this is connected to the Y0 column of the switch array.36NCNo Connection.37Y1Y1 Analog (Input/Output): this is connected to the Y1 column of the switch array.38DATADATA (Input): a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.39Y2Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.	17	Y6	Y6 Analog (Input/Output): this is connected to the Y6 column of the switch array.
20V <sub>SS</sub> Ground Reference.21Y4Y4 Analog (Input/Output): this is connected to the Y4 column of the switch array.22, 23AX1,AX2X1 and X2 Address Lines (Inputs).24, 25AY0,AY1Y0 and Y1 Address Lines (Inputs).26, 27NCNo Connection.28 - 33X5-X0X5-X0 Analog (Inputs/Outputs): these are connected to the X5-X0 rows of the switch array.34NCNo Connection.35Y0Y0 Analog (Input/Output): this is connected to the Y0 column of the switch array.36NCNo Connection.37Y1Y1 Analog (Input/Output): this is connected to the Y1 column of the switch array.38DATADATA (Input): a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.39Y2Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.	18	STROBE	before STROBE goes high and DATA must be stable on the falling edge of the STROBE.
21Y4Y4 Analog (Input/Output): this is connected to the Y4 column of the switch array.22, 23AX1,AX2X1 and X2 Address Lines (Inputs).24, 25AY0,AY1Y0 and Y1 Address Lines (Inputs).26, 27NCNo Connection.28 - 33X5-X0X5-X0 Analog (Inputs/Outputs): these are connected to the X5-X0 rows of the switch array.34NCNo Connection.35Y0Y0 Analog (Input/Output): this is connected to the Y0 column of the switch array.36NCNo Connection.37Y1Y1 Analog (Input/Output): this is connected to the Y1 column of the switch array.38DATADATA (Input): a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.39Y2Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.	19	Y5	Y5 Analog (Input/Output): this is connected to the Y5 column of the switch array.
21Y4Y4 Analog (Input/Output): this is connected to the Y4 column of the switch array.22, 23AX1,AX2X1 and X2 Address Lines (Inputs).24, 25AY0,AY1Y0 and Y1 Address Lines (Inputs).26, 27NCNo Connection.28 - 33X5-X0X5-X0 Analog (Inputs/Outputs): these are connected to the X5-X0 rows of the switch array.34NCNo Connection.35Y0Y0 Analog (Input/Output): this is connected to the Y0 column of the switch array.36NCNo Connection.37Y1Y1 Analog (Input/Output): this is connected to the Y1 column of the switch array.38DATADATA (Input): a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.39Y2Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.	20	V <sub>SS</sub>	Ground Reference.
24, 25AY0,AY1Y0 and Y1 Address Lines (Inputs).26, 27NCNo Connection.28 - 33X5-X0X5-X0 Analog (Inputs/Outputs): these are connected to the X5-X0 rows of the switch array34NCNo Connection.35Y0Y0 Analog (Input/Output): this is connected to the Y0 column of the switch array.36NCNo Connection.37Y1Y1 Analog (Input/Output): this is connected to the Y1 column of the switch array.38DATADATA (Input): a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.39Y2Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.	21		Y4 Analog (Input/Output): this is connected to the Y4 column of the switch array.
26, 27NCNo Connection.28 - 33X5-X0X5-X0 Analog (Inputs/Outputs): these are connected to the X5-X0 rows of the switch array34NCNo Connection.35Y0Y0 Analog (Input/Output): this is connected to the Y0 column of the switch array.36NCNo Connection.37Y1Y1 Analog (Input/Output): this is connected to the Y1 column of the switch array.38DATADATA (Input): a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.39Y2Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.	22, 23	AX1,AX2	X1 and X2 Address Lines (Inputs).
28 - 33X5-X0X5-X0 Analog (Inputs/Outputs): these are connected to the X5-X0 rows of the switch array34NCNo Connection.35Y0Y0 Analog (Input/Output): this is connected to the Y0 column of the switch array.36NCNo Connection.37Y1Y1 Analog (Input/Output): this is connected to the Y1 column of the switch array.38DATADATA (Input): a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.39Y2Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.	24, 25	AY0,AY1	Y0 and Y1 Address Lines (Inputs).
34       NC       No Connection.         35       Y0       Y0 Analog (Input/Output): this is connected to the Y0 column of the switch array.         36       NC       No Connection.         37       Y1       Y1 Analog (Input/Output): this is connected to the Y1 column of the switch array.         38       DATA       DATA (Input): a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.         39       Y2       Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.	26, 27	NC	No Connection.
35       Y0       Y0 Analog (Input/Output): this is connected to the Y0 column of the switch array.         36       NC       No Connection.         37       Y1       Y1 Analog (Input/Output): this is connected to the Y1 column of the switch array.         38       DATA       DATA (Input): a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.         39       Y2       Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.	28 - 33	X5-X0	X5-X0 Analog (Inputs/Outputs): these are connected to the X5-X0 rows of the switch array.
36         NC         No Connection.           37         Y1         Y1 Analog (Input/Output): this is connected to the Y1 column of the switch array.           38         DATA         DATA (Input): a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.           39         Y2         Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.	34	NC	No Connection.
<ul> <li>Y1 Y1 Analog (Input/Output): this is connected to the Y1 column of the switch array.</li> <li>DATA DATA (Input): a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.</li> <li>Y2 Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.</li> </ul>	35	Y0	Y0 Analog (Input/Output): this is connected to the Y0 column of the switch array.
38DATADATA (Input): a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.39Y2Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.	36	NC	No Connection.
selected switch. Active High.           39         Y2           Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.	37	Y1	Y1 Analog (Input/Output): this is connected to the Y1 column of the switch array.
	38	DATA	<b>DATA (Input)</b> : a logic high input will turn on the selected switch and a logic low will turn off the selected switch. Active High.
	39	Y2	Y2 Analog (Input/Output): this is connected to the Y2 column of the switch array.
	40	V <sub>DD</sub>	Positive Power Supply.

\* Plastic DIP and CERDIP only.

## **Functional Description**

The MT8812 is an analog switch matrix with an array size of 8 x 12. The switch array is arranged such that there are 8 columns by 12 rows. The columns are referred to as the Y input/output lines and the rows are the X input/output lines. The crosspoint analog switch array will interconnect any X line with any Y line when turned on and provide a high degree of isolation when turned off. The control memory consists of a 96 bit write only RAM in which the bits are selected by the address input lines (AY0-AY2, AX0-AX3). Data is presented to the memory on the DATA input line. Data is asynchro-nously written into memory whenever the STROBE input is high and is latched on the falling edge of STROBE. A logical "1" written into a memory cell turns the corresponding crosspoint switch on and a logical "0" turns the crosspoint off. Only the crosspoint switches corresponding to the addressed memory location are altered when data is written into memory. The remaining switches retain their previous states. Any combination of X and Y lines can be interconnected by establishing appropriate patterns in the control memory. A logical "1" on the RESET input line will asynchronously return all memory locations to logical "0" turning off all crosspoint switches.

## **Address Decode**

The seven address lines along with the STROBE input are logically ANDed to form an enable signal for the resettable transparent latches. The DATA input is buffered and is used as the input to all latches. To write to a location, RESET must be low while the address and data lines are set up. Then the STROBE input is set high and then low causing the data to be latched. The data can be changed while STROBE is high, however, the corresponding switch will turn on and off in accordance with the data. Data must be stable on the falling edge of STROBE in order for correct data to be written to the latch.

	Paramete	)r	Symbol	Min	Max	Units
1	Supply Voltage		V <sub>DD</sub> V <sub>SS</sub>	-0.3 -0.3	16.0 V <sub>DD</sub> +0.3	V V
2	Analog Input Voltage		V <sub>INA</sub>	-0.3	V <sub>DD</sub> +0.3	V
3	Digital Input Voltage		V <sub>IN</sub>	V <sub>SS</sub> -0.3	V <sub>DD</sub> +0.3	V
4	Current on any I/O Pin		I		±15	mA
5	Storage Temperature		Τ <sub>S</sub>	-65	+150	°C
6	Package Power Dissipation	PLASTIC DIP CERDIP	P <sub>D</sub> P <sub>D</sub>		0.6 1.0	W W

#### Absolute Maximum Ratings\*- Voltages are with respect to V<sub>SS</sub> unless otherwise stated.

\* Exceeding these values may cause permanent damage. Functional operation under these conditions is not implied.

# Recommended Operating Conditions - Voltages are with respect to V<sub>SS</sub> unless otherwise stated.

	Characteristics	Sym	Min	Тур	Max	Units	Test Conditions
1	Operating Temperature	Т <sub>О</sub>	0	25	70	°C	
2	Supply Voltage	V <sub>DD</sub>	4.5		14.5	V	
3	Analog Input Voltage	V <sub>INA</sub>	$V_{SS}$		V <sub>DD</sub>	V	
4	Digital Input Voltage	V <sub>IN</sub>	V <sub>SS</sub>		V <sub>DD</sub>	V	

## DC Electrical Characteristics<sup>†</sup>- Voltages are with respect to V<sub>SS</sub>=0V, V<sub>DD</sub> =14V unless otherwise stated.

	Characteristics	Sym	Min	Тур <sup>‡</sup>	Max	Units	Test Conditions
1	Quiescent Supply Current	I <sub>DD</sub>		1	100	μΑ	All digital inputs at $V_{IN}=V_{SS}$ or $V_{DD}$
				7	15	mA	All digital inputs at V <sub>IN</sub> =2.4V
2	Off-state Leakage Current (See G.9 in Appendix)	I <sub>OFF</sub>		±1	±500	nA	IV <sub>Xi</sub> - V <sub>Yj</sub> I = V <sub>DD</sub> - V <sub>SS</sub> See Appendix, Fig. A.1
3	Input Logic "0" level	V <sub>IL</sub>			0.8	V	
4	Input Logic "1" level	VIH	2.4			V	
5	Input Leakage (digital pins)	I <sub>LEAK</sub>		0.1	10	μA	All digital inputs at $V_{IN} = V_{SS}$ or $V_{DD}$

DC Electrical Characteristics are over recommended temperature range.
 Typical figures are at 25°C and are for design aid only; not guaranteed and not subject to production testing.

# DC Electrical Characteristics- Switch Resistance - V<sub>DC</sub> is the external DC offset applied at the analog I/O pins.

	Characteristics	Sym	Sym 25°C		60°C		70°C		Units	Test Conditions
			Тур	Max	Тур	Max	Тур	Мах		
1	$\begin{array}{ccc} \text{On-state} & \text{V}_{\text{DD}}\text{=}14\text{V}\\ \text{Resistance} & \text{V}_{\text{DD}}\text{=}12\text{V}\\ & \text{V}_{\text{DD}}\text{=}10\text{V}\\ & \text{V}_{\text{DD}}\text{=}5\text{V}\\ \text{(See G.1, G.2, G.3 in}\\ \text{Appendix)} \end{array}$	R <sub>ON</sub>	45 60 65 145	65 85 95 220				75 95 110 260		V <sub>SS</sub> =0V,V <sub>DC</sub> =V <sub>DD</sub> /2, IV <sub>Xi</sub> -V <sub>Yj</sub> I = 0.4V See Appendix, Fig. A.2
2	Difference in on-state resistance between two switches (See G.4 in Appendix)	ΔR <sub>ON</sub>	5	10		10		10		$\label{eq:VDD} \begin{array}{l} V_{DD} = 14V, \ V_{SS} = 0, \\ V_{DC} = V_{DD}/2, \\ IV_{Xi} - V_{Yj}I = 0.4V \\ \text{See Appendix, Fig. A.2} \end{array}$

	Characteristics	Sym	Min	Typ <sup>‡</sup>	Max	Units	Test Conditions
1	Switch I/O Capacitance	C <sub>S</sub>		20		pF	f=1 MHz
2	Feedthrough Capacitance	C <sub>F</sub>		0.2		pF	f=1 MHz
3	Frequency Response Channel "ON" 20LOG(V <sub>OUT</sub> /V <sub>Xi</sub> )=-3dB	F <sub>3dB</sub>		45		MHz	Switch is "ON"; $V_{INA} = 2Vpp$ sinewave; $R_L = 1k\Omega$ See Appendix, Fig. A.3
4	Total Harmonic Distortion (See G.5, G.6 in Appendix)	THD		0.01		%	Switch is "ON"; $V_{INA} = 2Vpp$ sinewave f= 1kHz; $R_L=1k\Omega$
5	Feedthrough Channel "OFF" Feed.=20LOG (V <sub>OUT</sub> /V <sub>Xi</sub> ) (See G.8 in Appendix)	FDT		-95		dB	All Switches "OFF"; $V_{INA}$ = 2Vpp sinewave f= 1kHz; $R_L$ = 1k $\Omega$ . See Appendix, Fig. A.4
6	Crosstalk between any two channels for switches Xi-Yi and	X <sub>talk</sub>		-45		dB	V <sub>INA</sub> =2Vpp sinewave f= 10MHz; R <sub>L</sub> = 75Ω.
	Xj-Yj. Xtalk=20LOG (V <sub>Yi</sub> /V <sub>Xi</sub> ).			-90		dB	V <sub>INA</sub> =2Vpp sinewave f= 10kHz; R <sub>L</sub> = 600Ω.
	(See G.7 in Appendix).			-85		dB	V <sub>INA</sub> =2Vpp sinewave f= 10kHz; R <sub>L</sub> = 1kΩ.
				-80		dB	$V_{INA}$ =2Vpp sinewave f= 1kHz; R <sub>L</sub> = 10k $\Omega$ . Refer to Appendix, Fig. A.5 for test circuit.
7	Propagation delay through switch	t <sub>PS</sub>			30	ns	$R_L=1k\Omega; C_L=50pF$

#### AC Electrical Characteristics<sup>†</sup> - Crosspoint Performance-V<sub>DC</sub> is the external DC offset applied at the analog

I/O pins. Voltages are with respect to V<sub>DD</sub>=7V, V<sub>DC</sub>=0V, V<sub>SS</sub>=-7V, unless otherwise stated.

† Timing is over recommended temperature range. See Fig. 3 for control and I/O timing details.
 ‡ Typical figures are at 25°C and are for design aid only; not guaranteed and not subject to production testing.
 Crosstalk measurements are for Plastic DIPS only, crosstalk values for PLCC packages are approximately 5dB better.

# AC Electrical Characteristics<sup>†</sup> - Control and I/O Timings- V<sub>DC</sub> is the external DC offset applied at the analog

I/O pins. Voltages are with respect to V<sub>DD</sub>=7V, V<sub>DC</sub>=0V, V<sub>SS</sub>=-7V, unless otherwise stated.

	Characteristics	Sym	Min	Typ‡	Max	Units	Test Conditions
1	Control Input crosstalk to switch (for CS, DATA, STROBE, Address)	CX <sub>talk</sub>		30		mVpp	V <sub>IN</sub> =3V+V <sub>DC</sub> squarewave; R <sub>IN</sub> =1kΩ, R <sub>L</sub> =10kΩ. See Appendix, Fig. A.6
2	Digital Input Capacitance	C <sub>DI</sub>		10		pF	f=1MHz
3	Switching Frequency	F <sub>O</sub>			20	MHz	
4	Setup Time DATA to STROBE	t <sub>DS</sub>	10			ns	$R_L$ = 1k $\Omega$ , $C_L$ =50pF $\odot$
5	Hold Time DATA to STROBE	t <sub>DH</sub>	10			ns	$R_L$ = 1k $\Omega$ , $C_L$ =50pF $\odot$
6	Setup Time Address to STROBE	t <sub>AS</sub>	10			ns	$R_L$ = 1k $\Omega$ , $C_L$ =50pF $\odot$
7	Hold Time Address to STROBE	t <sub>AH</sub>	10			ns	$R_L$ = 1k $\Omega$ , $C_L$ =50pF $\odot$
8	STROBE Pulse Width	t <sub>SPW</sub>	20			ns	$R_L$ = 1k $\Omega$ , $C_L$ =50pF $\odot$
9	RESET Pulse Width	t <sub>RPW</sub>	40			ns	$R_L$ = 1k $\Omega$ , $C_L$ =50pF $\odot$
10	STROBE to Switch Status Delay	t <sub>S</sub>		40	100	ns	$R_L$ = 1k $\Omega$ , $C_L$ =50pF $\odot$
11	DATA to Switch Status Delay	t <sub>D</sub>		50	100	ns	$R_L$ = 1k $\Omega$ , $C_L$ =50pF $\odot$
12	RESET to Switch Status Delay	t <sub>R</sub>		35	100	ns	$R_L$ = 1k $\Omega$ , $C_L$ =50pF $\odot$

† Timing is over recommended temperature range. See Fig. 3 for control and I/O timing details.
Digital Input rise time (tr) and fall time (tf) = 5ns.
‡ Typical figures are at 25°C and are for design aid only; not guaranteed and not subject to production testing.
① Refer to Appendix, Fig. A.7 for test circuit.



Figure 3 - Control Memory Timing Diagram

\* See Appendix, Fig. A.7 for switching waveform

AX0	AX1	AX2	AX3	AY0	AY1	AY2	Connection
0	0	0	0	0	0	0	X0-Y0
1	0	0	0	0	0	0	X1-Y0
0	1	0	0	0	0	0	X2-Y0
1	1	0	0	0	0	0	X3-Y0
0	0	1	0	0	0	0	X4-Y0
1	0	1	0	0	0	0	X5-Y0 ①
0	1	1	0	0	0	0	No Connection $\stackrel{(1)}{\textcircled{1}}$
1	1	1	0	0	0	0	No Connection <sup>(1)</sup> X6-Y0
0	0	0	1	0	0	0	X6-Y0 X7-Y0
1	0	0	1	0	0	0	X7-Y0 X8-Y0
1	1	0	1	0	0	0	X9-Y0
0	0	1	1	0	0	0	X10-Y0
1	0	1	1	0	0	0	
0	1	1	1	0	0	Ő	No Connection
1	1	1	1	0	0	0	No Connection No Connection
0	0	0	0	1	0	0	X0-Y1
$\downarrow$	$\downarrow\downarrow$						
1	0	1	1	1	0	0	X11-Y1
0	0	0	0	0	1	0	X0-Y2
$\downarrow$	$\downarrow\downarrow$						
1	0	1	1	0	1	0	X11-Y2
0	0	0	0	1	1	0	X0-Y3
$\downarrow$	$\downarrow \downarrow$						
1	0	1	1	1	1	0	X11-Y3
0	0	0	0	0	0	1	X0-Y4
$\downarrow$	$\downarrow\downarrow$						
1	0	1	1	0	0	1	X11-Y4
0	0	0	0	1	0	1	X0-Y5
$\downarrow$	$\downarrow\downarrow$						
1	0	1	1	1	0	1	X11-Y5
0	0	0	0	0	1	1	X0-Y6
$\downarrow$	$\downarrow\downarrow$						
1	0	1	1	0	1	1	X11-Y6
0	0	0	0	1	1	1	X0-Y7
$\downarrow$	$\downarrow\downarrow$						
1	0	1	1	1	1	1	X11-Y7

<sup>①</sup> This address has no effect on device status.